This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.


Si Substrate W backgate gate oxide Si Channel gate oxide handle wafer handle wafer CLFO annea handle wafer W backpate Si Substrate W backgate gafe oxide Si Channel gafe oxide Si Substrate LTO

delamination

double-gate device Si Channel gale oxide W backgate handle wafer substrate for handle wafer Si Substrate W backgate
gate oxide
Si Channel
gate oxide CLTO backside etching anneal handle wafer Si Substrate W backgate gate oxide Si Chamel gate oxide handle wafer bonding termediate layer Si Substrate W backgate gate oxide St Channel gate oxide issivation and







F19,4




Fig. 5